

EAST - [Untitled1:2]

File View Edit Tools Window Help

Drafts Pending Active L1: (168) (296/217).CCLS. L2: (693) (296/214,216.01,221,220.01).CCLS. L3: (112) (410/104).CCLS. L4: (1376) wireless with key L5: (7) wireless with key with window L6: (1723) (411/531-547).CCLS. L7: (33) L6 AND STEP WITH WASHER L8: (5) L6 AND OFFSET WITH SEAT L9: (165) (411/546).CCLS. L10: (36) Combined citation search 1 L11: (41) Combined citation search 2 L12: (6) Forward citation search 1 L13: (1) ("5244325").PN. L14: (545) (296/35.1).CCLS. L15: (38) 114 and plastic Failed "411"/\$.CCLS. AND STEP\$ WITH WASHER Saved S1: (335) (296/146.6).CCLS.

Search List Browse Queue Clear DBs US-PGPUB:U Plurals Default operator: OR Highlight all hit terms initially 114 and plastic

Structured form Custom form BRS form ISI

	U	1	Document ID	Issue Dat	Page	Title	Current
1	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5746561	19980505	35	Alignment tolerant fastening system	411/368
2	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6595558	20030722	12	High-pressure metal pipe with connection he	285/382
3	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6665140	20031216	12	Conductive lock washer	360/99.
4	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5662444	19970902	11	Fastener assembly with axially captivated wash	411/369
5	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6776566	20040817	7	Assembly for automatically compensat	411/546
6	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6659702	20031209	16	Bolting structure for magnesium alloy member	411/546
7	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6264412	20010724	10	Honeycomb panel fixing device	411/352
8	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5040917	19910820	4	Device for fixing mechanical parts to the	403/408
9	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4959886	19901002	4	Construction form plug for nail	411/542
10	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4435112	19840306	9	Fastener assembly	411/368
11	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4238165	19801209	5	Fastener unit for clamping plastic workpi	403/408
12	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 3212387	19651019	5	Plastic captive screw washer [TEXT AVAILABLE	411/371
13	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6394537	20020528	10	Arrangement for attaching a plastic veh	296/191
14	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6350094	20020226	33	Bolt and a nut locking mechanism	411/114
15	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6059503	20000509	7	Captivated fastener assembly	411/353
16	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5711711	19980127	11	Method of manufacturing	470/41

BRS form Hits Details HTML

Ready NUM

Best Available Copy

EAST - [Untitled1:2]

File View Edit Tools Window Help

☐ Drafts  
☐ Pending  
☒ Active  
     L1: (168) (296/217).CCLS.  
     L2: (693) (296/214,216.01,221,220.01).CCLS.  
     L3: (112) (410/104).CCLS.  
     L4: (1376) wireless with key  
     L5: (7) wireless with key with window  
     L6: (1723) (411/531-547).CCLS.  
     L7: (33) L6 AND STEP WITH WASHER  
     L8: (5) L6 AND OFFSET WITH SEAT  
     L9: (165) (411/546).CCLS.  
     L10: (36) Combined citation search 1  
     L11: (41) Combined citation search 2  
     L12: (6) Forward citation search 1  
     L13: (1) ("5244325").PN.  
     L14: (545) (296/35.1).CCLS.  
     L15: (38) 114 and plastic  
☐ Failed  
     L1: "411"/\$.CCLS. AND STEP\$ WITH WASHER  
☐ Saved  
     S1: (335) (296/146.6).CCLS.

Search List Browse Queue Clear  
 DBs US-PGPUB:U Plurals  
 Default operator: OR ☒ Highlight all hit terms initially  
 114 and plastic

Structured form Custom form BRS form ISI

☐ Drafts  
☐ Pending  
☒ Active  
     L1: (168) (296/217).CCL  
     L2: (693) (296/214,216.  
     L3: (112) (410/104).CCL  
     L4: (1376) wireless wit  
     L5: (7) wireless with k  
     L6: (1723) (411/531-547  
     L7: (33) L6 AND STEP WI  
     L8: (5) L6 AND OFFSET W  
     L9: (165) (411/546).CCL  
     L10: (36) Combined cita  
     L11: (41) Combined cita  
     L12: (6) Forward citati  
     L13: (1) ("5244325").PN  
     L14: (545) (296/35.1).C  
     L15: (38) 114 and plast  
☐ Failed  
☐ Saved  
☐ Favorites  
☒ Tagged (20)  
☐ UDC  
☐ Queue  
☐ Trash

	U	1	Document ID	Issue Dat	Page	Title	Current
6	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6659702 B2	20031209	16	Bolting structure for magnesium alloy member	411/546
7	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6264412 B1	20010724	10	Honeycomb panel fixing device	411/352
8	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5040917 A	19910820	4	Device for fixing mechanical parts to the	403/408
9	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4959886 A	19901002	4	Construction form plug for nail	411/542
10	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4435112 A	19840306	9	Fastener assembly	411/368
11	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4238165 A	19801209	5	Fastener unit for clamping plastic workpi	403/408
12	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 3212387 A	19651019	5	Plastic captive screw washer [TEXT AVAILABLE	411/371
13	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6394537 B1	20020528	10	Arrangement for attaching a plastic veh	296/191
14	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6350094 B1	20020226	33	Bolt and a nut locking mechanism	411/114
15	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6059503 A	20000509	7	Captivated fastener assembly	411/353
16	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5711711 A	19980127	11	Method of manufacturing a fastener assembly wit	470/41
17	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4867461 A	19890919	5	Gasket sealing system	277/593
18	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4193434 A	19800318	6	Preassembled fastener unit for clamping plast	411/154
19	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5328311 A	19940712	6	Fastener assembly with axially slidable sleeve	411/353
20	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 2275315 A	19420303	2	Means for attaching fragile bodies to a sup	411/371

BRS form Hits Details HTML

Ready

EAST - [Untitled1:2]

File View Edit Tools Window Help

Drafts

Pending

Active

L1: (168) (296/217).CCLS.

L2: (693) (296/214,216.01,221,220.01).CCLS.

L3: (112) (410/104).CCLS.

L4: (1376) wireless with key

L5: (7) wireless with key with window

L6: (1723) (411/531-547).CCLS.

L7: (33) L6 AND STEP WITH WASHER

L8: (5) L6 AND OFFSET WITH SEAT

L9: (165) (411/546).CCLS.

L10: (36) Combined citation search 1

L11: (41) Combined citation search 2

L12: (6) Forward citation search 1

L13: (1) ("5244325").PN.

L14: (545) (296/35.1).CCLS.

L15: (38) 114 and plastic

Failed

S1: (335) (296/146.6).CCLS.

Search

List

Browse

Queue

Clear

DBs

US-PGPUB:U

Plurals

Default operator: OR

Highlight all hit terms initially

114 and plastic

Structured form

Custom form

BRS form

ISI

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comment	Error
1	IS&R	L1	168	(296/217).CCLS.	USPA	2005/02/01 07:24		
2	IS&R	L2	693	(296/214,216.01,221,220.01).CCLS.	USPA	2005/02/01 08:22		
3	IS&R	L3	112	(410/104).CCLS.	USPA	2005/02/01 08:52		
4	BRS	L4	1376	wireless with key	USPA	2005/02/01 08:52		
5	BRS	L5	7	wireless with key with window	USPA	2005/02/01 09:16		
6	IS&R	L6	1723	(411/531-547).CCLS.	US-P GPUB	2005/02/01 09:18		
7	BRS	L7	33	L6 AND STEP WITH WASHER	USPA	2005/02/01 09:29		
8	BRS	L8	5	L6 AND OFFSET WITH SEAT	USPA	2005/02/01 09:31		
9	IS&R	L9	165	(411/546).CCLS.	US-P GPUB	2005/02/01 09:32		
10	BRS	L10	36	("1356404"   "1497859"   "2283494"	US-P GPUB	2005/02/01 09:48		
11	BRS	L11	41	("1674258"   "1809758"   "2076041"	US-P GPUB	2005/02/01 09:55		
12	BRS	L12	6	("2275315").URPN.	USPA	2005/02/01 10:01		
13	IS&R	L13	1	("5244325").PN.	USPA	2005/02/01 10:31		
14	IS&R	L14	545	(296/35.1).CCLS.	US-P GPUB	2005/02/01 10:32		



EAST - [Untitled1:2]

File View Edit Tools Window Help

S33: (112) (410/104).CCLS.  
S34: (1376) wireless with key  
S35: (7) wireless with key with window  
S36: (1723) (411/531-547).CCLS.  
S37: (33) S36 AND STEP WITH WASHER  
S38: (5) S36 AND OFFSET WITH SEAT  
S39: (165) (411/546).CCLS.  
S40: (36) Combined citation search 1  
S41: (41) Combined citation search 2  
S42: (6) Forward citation search 1  
S43: (1) ("5244325").PN.  
S44: (545) (296/35.1).CCLS.  
S45: (38) S44 and plastic  
S46: (169) (296/183.1).CCLS.  
S47: (560) (296/204).CCLS.  
S48: (30) S47 and bed

Favorites  
Tagged (23)  
UDC  
Queue  
Trash

Search List Browse Queue Clear  
DBs USPAT Plurals  
Default operator: OR Highlight all hit terms initially  
117 and bed

Custom form BRS form IS&R form Hits

Drafts  
Pending  
Active  
Failed  
Saved  
Favorites  
Tagged (23)  
UDC  
Queue  
Trash

	U	1	Document ID	Issue Dat	Page	Title	Current
1	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5746561 A	19980505	35	Alignment tolerant fastening system	411/368
2	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6595558 B2	20030722	12	High-pressure metal pipe with connection he	285/382
3	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6665140 B1	20031216	12	Conductive lock washer	360/99.0
4	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5662444 A	19970902	11	Fastener assembly with axially captivated wash	411/369
5	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6776566 B2	20040817	7	Assembly for automatically compensat	411/546
6	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6659702 B2	20031209	16	Bolting structure for magnesium alloy member	411/546
7	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6264412 B1	20010724	10	Honeycomb panel fixing device	411/352
8	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5040917 A	19910820	4	Device for fixing mechanical parts to the	403/408
9	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4959886 A	19901002	4	Construction form plug for nail	411/542
10	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4435112 A	19840306	9	Fastener assembly	411/368
11	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4238165 A	19801209	5	Fastener unit for clamping plastic workpi	403/408
12	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 3212387 A	19651019	5	Plastic captive screw washer [TEXT AVAILABLE	411/371
13	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6394537 B1	20020528	10	Arrangement for attaching a plastic veh	296/191
14	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6350094 B1	20020226	33	Bolt and a nut locking mechanism	411/114
15	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6059503 A	20000509	7	Captivated fastener assembly	411/353
16	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5711711	19980127	11	Method of manufacturing	470/41

BRS form Hits Details HTML

Ready CAP NUM

EAST - [Untitled1:2]

File View Edit Tools Window Help

Drafts

Pending

Active

L1: (58) (296/181.2).CCLS.

L2: (545) (296/35.1).CCLS.

Failed

"411"/\$.CCLS. AND STEP\$ WITH WASHER

Saved

S1: (335) (296/146.6).CCLS.

S2: (404) (296/152).CCLS.

S3: (492) (49/502).CCLS.

S4: (5064) b60j005/04.ipc.

S5: (8) S4 and center near3 gravity

S6: (5598) b60j005/00.ipc.

S7: (7) S6 and center near3 gravity

S8: (369) 296/146.5

S9: (0) S1 and S2 and S3 and S8 and center near3 gravity

S10: (1134) S1 or S2 or S3 or S8 and center near3 gravity

S11: (13) (S1 or S2 or S3 or S8) and center near3 gravity

S12: (158) (296/146.5).CCLS.

S13: (31) S12 and aluminum

S14: (1) ("6276542").PN.

Search

List

Browse

Queue

Clear

DBs

US-PGPUB:U

Default operator: OR Highlight all hit terms initially

296/35.1

Custom form BRS form IS&R form Hits

Drafts

Pending

Active

L1: (58) (296/181.2).CC

L2: (545) (296/35.1).CC

Failed

Saved

Favorites

Tagged (26)

UDC

Queue

Trash

	U	1	Document ID	Issue Dat	Page	Title	Current
12	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 3212387 A	19651019	5	Plastic captive screw washer [TEXT AVAILABLE]	411/371
13	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6394537 B1	20020528	10	Arrangement for attaching a plastic veh	296/191
14	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6350094 B1	20020226	33	Bolt and a nut locking mechanism	411/114
15	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6059503 A	20000509	7	Captivated fastener assembly	411/353
16	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5711711 A	19980127	11	Method of manufacturing a fastener assembly wit	470/41
17	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4867461 A	19890919	5	Gasket sealing system	277/593
18	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4193434 A	19800318	6	Preassembled fastener unit for clamping plast	411/154
19	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5328311 A	19940712	6	Fastener assembly with axially slidable sleeve	411/353
20	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 2275315 A	19420303	2	Means for attaching fragile bodies to a sup	411/371
21	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 20030001409	20030102	7	Torsional isolated pickup truck cargo bed	296/183
22	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 4976490 A	19901211	7	Reinforced composite structure	296/183
23	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6702365 B2	20040309	7	Torsional isolated pickup truck cargo bed	
24	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 6053563 A	20000425	12	Enclosure having integrally molded protr	296/181
25	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 5249834 A	19931005	8	Apparatus for connecting a polymeric	296/35.
26	<input type="checkbox"/>	<input checked="" type="checkbox"/>	US 3990737 A	19761109	5	Resilient mounting means for a protection	296/35.

BRS form

Hits

Details

HTML

Ready

CAP NUM